

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# Air Agency Certificate

Number FE6R532N

This certificate is issued to  
WESTERN AIRCRAFT, INC.

whose business address is

4300 S. KENNEDY STREET  
BOISE, IDAHO 83705

upon finding that its organization complies in all respects with the requirements of the Federal Aviation Regulations relating to the establishment of an Air Agency, and is empowered to operate an approved

REPAIR STATION

with the following ratings:

AIRFRAME (11/05/97)

RADIO (05/31/83)

LIMITED POWERPLANT (04/03/01)

LIMITED INSTRUMENT (11/05/97)

LIMITED NONDESTRUCTIVE INSPECTION,

TESTING AND PROCESSING (06/19/80)


LIMITED ACCESSORY (03/28/01)

This certificate, unless canceled, suspended, or revoked, shall continue in effect INDEFINITELY.

Date issued:

29 MARCH 1957

By direction of the Administrator

  
JOHN W. WALKER

MANAGER, NM-FSDO-11

This Certificate is not Transferable, and ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF, SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	11/16/2004	11/12/2010	5
002 Definitions and Abbreviations	11/16/2004	11/12/2010	4
003 Ratings and Limitations	01/30/2004	09/17/2010	12
004 Summary of Special Authorizations and Limitations	09/23/1998	11/12/2010	5
007 Designated Persons	12/19/2006	11/12/2010	9
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	09/17/2010	4

**A001 . Issuance and Applicability**

**HQ Control: 11/16/2004**

**HQ Revision: 050**

a. These operations specifications are issued to Western Aircraft, Inc., a Domestic Repair Station, pursuant to Title 14 Code of Federal Regulations (CFR) Section 145.53. The repair station certificate holder shall conduct operations in accordance with CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
4300 S. Kennedy Street  
Boise, Idaho 83705

Mailing Address:  
4300 S. Kennedy Street  
Boise, Idaho 83705

b. The holder of these operations specifications is the holder of Certificate Number FE6R532N and shall hereafter be referred to as the certificate holder.

c. These operations specifications are issued as part of this Repair Station Certificate, and are in effect as of the Date Approval is effective. This certificate and operations specifications shall remain in effect until the domestic repair station certificate is surrendered, suspended, or revoked.

d. The repair station specified on these operations specifications performs maintenance and/or alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of a Bilateral Aviation Safety Agreement and associated Maintenance Implementation Procedures between the Federal Aviation Administration and a Foreign National Aviation Authority identified in Advisory Circular 145-8, as revised.

Delegated authorities: None

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.11.12 15:55:07 Central Standard Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11)

4. Date Approval is effective: 11/12/2010 Amendment Number: 5
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "Tracy P. Kalbfleisch".

Date: 11/12/2010

**A002 . Definitions and Abbreviations**

**HQ Control: 11/16/2004**

**HQ Revision: 050**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**Bilateral Aviation  
Safety Agreement  
(BASA)**

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

**Certificate Holder**

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

**CFR**

Code of Federal Regulations

**Class rating**

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**Domestic Repair  
Station**

A certificated repair station located in the United States.

**Exemption**

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

**FAA Accountable  
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

**FAA Form 8000-4-1**

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

**Foreign Repair  
Station**

A certificated repair station located outside of the United States.

**Geographic  
Authorization**

An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by

the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

**EASA**

European Aviation Safety Agency

**EASA Accountable  
Manager**

The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full member Authority.

**Limited Rating**

Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.

**Limited Ratings -  
Specialized Services**

Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the Administrator.

**Line Maintenance**

Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

**Maintenance**

The inspection, overhaul, repair, preservation, and the replacement of parts, but excludes preventive maintenance.

**Maintenance  
Implementation  
Procedures (MIP)**

Procedures for implementing the provisions of a BASA that apply to maintenance.

**MOE**

Maintenance Organization Exposition - Pertains to European Aviation Safety Agency member countries that use an MOE in place of a Repair Station Manual and a Quality Control Manual.

**Preventive  
Maintenance**

As defined in Appendix A subparagraph (c) of 14 CFR Part 43.

**QCM**

Quality Control Manual

**RSM**

Repair Station Manual

**Substantial  
Maintenance**

Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or propellers.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.11.12 15:56:39 Central Standard Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11)

4. Date Approval is effective: 11/12/2010 Amendment Number: 4
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "Tracy P. Kalbfleisch".

Date: 11/12/2010

---

**A003 . Ratings and Limitations**

**HQ Control: 01/30/2004**

**HQ Revision: 010**

The Certificate Holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

- Airframe Class 1: Composite Construction of Small Aircraft
- Airframe Class 2: Composite Construction of Large Aircraft
- Airframe Class 3: All-Metal Construction of Small Aircraft
- Airframe Class 4: All-Metal Construction of Large Aircraft
- Radio Class 1: Communications Equipment
- Radio Class 2: Navigational Equipment
- Radio Class 3: Radar Equipment

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Powerplants	Lycoming	All 400	Remove and replace cylinder assemblies,module sections, accessories,carburetors, magnetos,propellers,gear trains, fuel and oil seals external of the power case. Repair to the cylinder assemblies,ignition harness and baffles. Repairs internal of the power case section and any repair requiring a functional test by the manufacture in a test cell are not authorized.
	Horizontal	Horsepower and	
	Opposed	Less	
	Reciprocating Engines		
	Continental	All 400	Remove and replace cylinder assemblies, module sections, accessories, carburetors,magnetos, propellers, gear trains, fuel and oil seals external of the power case. Repair to the cylinder assemblies, ignition harness and baffles.Repairs internal of the power case section and any repair requiring a functional test by the manufacture in a test cell are not authorized.
	Horizontal	Horsepower and	
	Opposed	Less	
	Reciprocating Engines		
	Pratt and Whitney	985,1340,1830,2800 (CB16,17) and 4360 series	Remove and replace cylinder assemblies, module sections,accessories, carburetors,magnetos,propellers, gear trains, fuel and oil seals external of the power case. Repair to the cylinder assemblies,ignition harness and baffles. Repairs internal of the power case section and any repair requiring a functional test by the manufacture in a test cell are not authorized.
	Reciprocating Engines		
	Wright Aeronautical	975,1820,and 2600 series	Remove and replace cylinder assemblies,module sections,accessories,carburetors,magnetos,propellers, gear trains,fuel and oil seals external of the power case.
	Reciprocating		

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Engines		Repair to the cylinder assemblies, ignition harness and baffles. Repairs internal of the power case section and any repair requiring a functional test by the manufacture in a test cell are not authorized.
	Detroit Diesel Allison	501 D13	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
	Pratt and Whitney	JT15D, PT6 Series, and 305 , 307, and 308 Series	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
	Garrett	TPE331 and TFE731 Series	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
	General Electric	CJ610 and CF700-2D-2	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
	Rolls Royce	Viper MK521,522 and 601-22	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
	CFE Company	CFE738	Repair module and component changes authorized by the respective engine manufacture for accomplishment in the field.
Instruments- Autopilot	Allied Signal	FCS810(Altimatec V), M4C, M4D,KFC200&300	None
	Edo-Aire/Century	I(Autoflight II), II,IIB(Autocontrol IIIand IIIB),III and IIIB(Altimatec III,IIIB,IIIC) IV,21,31,41&2000	None
	Sperry	SPZ 200 & SPZ250	None
	STEC	40, 50, 55, 60, 65	None
	ARC	20, 200A, 300, 300A, 300B, 400B, 800B, IFCS, 1000 IFCS	None

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Collins	AP 106, AP 107, ans APS80	None
Instruments- Altimeter/ Altitude Reporting	All Manufactures	All Makes and Models	Altimeter System and Altitude Reporting Equipment tests, adjustments and inspections in accordance with current manufacturers maintenance manuals and Title 14 Code of Federal Regulations, Part 91.411 Part 43 Appendix E.
Accessories - Electronic (Magnetos)	Bendix	S20,S200,and S1200 Series	None
	Slick	600, 4000 and 6000 Series	None
Nickel Cadmium Batteries	All Manufactures	All Makes & Models	Use the methods, techniques and prtices prescribed in the current manufactures maintenance manual or Instructions for continued Airworthiness, or methods,techniques and practices acceptable to the Administrator.
Nondestructive Inspection, Testing, and Processing	ASTM, E165, E1417	Liquid Penetrant Inspection (PT)	Use the methods, techniques and practices prescribed in the current manufactures maintenance manual or Instructions for Continued Airworthiness,or methods, techniques and practices acceptable to the Administrator.
	ASTM, E587, E797	Ultrasonic Isnpection (UT)	
	ASTM, E94, E1742	Radiographic Inspection (RT)	
	Mil-HDBK-728/2	Eddy Current Inspection (ET)	

**Limited Ratings - Specialized Services**

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
---------------	-----------------------	--------------------



**A004 . Summary of Special Authorizations and Limitations**

**HQ Control: 09/23/1998**

**HQ Revision: 010**

**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	Reference Paragraphs
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

**b. The certificate holder is *not authorized and shall not*:**

	Reference Paragraphs
Use Exemptions.	A005
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.11.12 16:08:17 Central Standard Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11)

4. Date Approval is effective: 11/12/2010 Amendment Number: 5
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "Tracy P. Kalbfleisch".

Date: 11/12/2010

---

**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

**Table 1 – Designated Persons to Apply for and Receive Authorizations**

Title	Name	Parts Authorized
Chief Inspector / Chief Inspector	Gravel, Louie G	D
EASA Accountable Manager, 145 / EASA Acct Manager	Kalbfleisch, Tracy P	A,D
Director of Aircraft Services	Kalbfleisch, Tracy P	A,D
AD Notification Representative / AD Notification Representative	Gravel, Louie G	
FAA Accountable Manager, 145 / FAA Acct Manager	Kalbfleisch, Tracy P	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 – Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Gravel, Louie G.	louieg@westernair.com	208-338-1826	ALL

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.11.12 16:09:23 Central Standard Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11).

4. Date Approval is effective: 11/12/2010 Amendment Number: 9
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "Tracy P. Kalbfleisch".

Date: 11/12/2010

---

**A449 . Antidrug and Alcohol Misuse Prevention Program**

**HQ Control: 07/17/2009**

**HQ Revision: 00a**

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**

<b>Location &amp; Telephone of Antidrug and Alcohol Misuse Prevention Program Records:</b>	
<b>Telephone Number:</b>	A3 (208-338-1800)
<b>Address:</b>	N/A
<b>Address:</b>	4300 S. Kennedy Street
<b>City:</b>	Boise
<b>State:</b>	ID
<b>Zip code:</b>	83705

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
  - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
  - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.09.23 12:28:10 Central Daylight Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11)

4. Date Approval is effective: 09/17/2010 Amendment Number: 4
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "T. P. Kalbfleisch".

Date: 09/17/2010

---

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	11/12/2010	6

**D100 . Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)** HQ Control: 11/16/2004  
HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Performance of maintenance at a location other than the Repair Station.	Western Aircraft, Inc. Repair Station Manual, page 4-10.	Western Aircraft, Inc. Repair Station Manual, page 4-10.

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.11.12 16:13:01 Central Standard Time  
Location: WebOPSS  
Digitally signed by Dan Frandson,  
Principal Maintenance Inspector (NM11)

4. Date Approval is effective: 11/12/2010 Amendment Number: 6
5. I hereby accept and receive the Operations Specifications in this paragraph.

Kalbfleisch, Tracy P, Director of Aircraft Services

A handwritten signature in black ink, appearing to read "Tracy P. Kalbfleisch".

Date: 11/12/2010

---